Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545 ISO 17025 Accredited Laboratory

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

QA Testing

1 of 1

Hemp A-H Tropical Tang

larrer

Sample ID: HR20241191003 Strain: Hemp A-H Tropical Tang Matrix: Plant Type: Flower - Cured Sample Size: ; Batch:

Produced: Collected: 11/26/2024 Received: 11/26/2024 Completed: 12/02/2024 Batch#:

Client NV Farms LLC Lic.# 442 Hanley Road Central Point, OR 97502

Summary

Test

Cannabinoids

Moisture

Batch

11/26/2024 11/27/2024

Date Tested

Result Complete Complete 12.89%



Cannabinoids

Complete

21.44% Total THC			ND Total CBD		21.44% Total Cannabinoids
Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	%	mg/g	
THCa	0.20000	0.61000	24.17	241.67	
Δ9-THC	0.15000	0.45000	0.24	2.44	
∆8-THC	0.14000	0.42000	ND	ND	
THCV	0.15000	0.44000	ND	ND	
CBDa	0.10000	0.31000	ND	ND	
CBD	0.15000	0.45000	ND	ND	
CBN	0.16000	0.50000	ND	ND	
CBG	0.13000	0.39000	ND	ND	
CBC	0.14000	0.42000	ND	ND	
Total THC			21.44	214.38	
Total CBD			ND	ND	
Total			21.44	214.38	

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THCa * 0.877 + CBD ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



Ming Li - General Manager 12/02/2024

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.